



1/12

Fig.1



2/12

Fig.2



3/12

Fig.3




Fig.4

15

(NO) IMAGE DENSITY (%)	DRUM COUNT (D _P)				
	0~1k	1~5k	5~10k	10~15k	15k~
0~2.5	50	50	50	50	25
2.5~5	100	100	100	50	50
5~25	150	150	100	100	100
25~50	150	150	150	150	150
50~75	200	200	200	200	200
75~100	200	200	200	250	250

DATA ROM

4/12

Fig.5(a)




Fig.5(b)





Fig.6

(NO) IMAGE DENSITY (%)	AVERAGE PRINT DENSITY N_1 (%)				
	0~2.5	2.5~5	5~25	25~50	50~100
0~2.5	-40	-20	-10	-5	0
2.5~5	-20	-10	-5	0	0
5~25	-10	-5	0	0	0
25~50	+10	0	0	0	0
50~75	+20	+10	+5	0	0
75~100	+40	+20	+10	+5	0

DATA ROM

15

Fig.7



7/12

Fig.8




Fig.9

(T ₀) TEMP.(°C)	HUMID. (%) (S ₀)					
	5	10	20	40	60	80
5	-50	-45	-40	-35	-30	-25
10	-40	-35	-30	-25	-20	-15
15	-20	-15	-10	-5	0	+5
20	-5	0	+5	+10	+15	+20
25	2	+5	+10	+15	+20	+25
30	+10	+15	+20	+25	+30	+35
35	+20	+25	+30	+35	+40	+45

CONTROLLER ROM

Fig.10





Fig. 11



10/12

Fig. 12





Fig. 13

(T ₂) AVERAGE PRINT TEMP. °C	DRUM COUNT (D _T)				
	0~1k	1~5k	5~10k	10~15k	15k~
30	0	0	0	0	0
40	0	0	+5	+10	+20
45	10	+5	+10	+20	+30
50	+5	+10	+20	+30	+40
55	+10	+20	+30	+40	+50

CONTROLLER ROM



12/12

Fig.15(a)




Fig.15(b)

